

PRODUCT CATALOGUE

MEDICAL TECHNOLOGY

We Provide Trusted & High Quality Medical Devices

"SBRG Med Tech embracing the goal by adding smiles to your life."



BRAWN GROUP OF COMPANIES



BRAWN GROUP OF COMPANIES is offering a better life for the people across the globe. We offer healthcare solutions at the highest level to our customer. We are accredited global healthcare company, which is empowered by one of the leading pioneer in the healthcare industry **Mr. BR Gupta**, Managing Director.



B.R. Gupta
Managing Director

As a medical representative, the chasing of a big dream of serving the common man with quality medicines and anti-cancer drugs at affordable price was far from possible. What followed over the years has been the reward of sheer perseverance, passion, zeal and enthusiasm. This journey with its own ups and downs has reinforced my belief that 'Nothing is impossible', provided one religiously follows the core values- Focus, Quality, Unwavering Ethics, Transparency, Commitment and Customer Satisfaction, needless to say our strengths at **BRAWN**.

VISION

"To be leading strategic and research based global healthcare group creating comprehensive solution for treatment and management of illness with our medical formulations, products and services thereby creating better life across the globe."

MISSION

"To provide affordable research based quality formulations, products and services across the globe through research, innovation, development and collaborations."

Upcoming USFDA/EU GMP compliant plant in Halol, Gujarat



Work Place



**SBRG MEDTECH
MANUFACTURING SITE**



CORPORATE OFFICE



R&D UNIT



FARIDABAD PLANT



BRAWN BIOTECH LTD.

We Are Specialized In Manufacturing & Marketing A Wide Variety of Medical Devices



Our Global Offices

- Bolivia
- California USA
- Dubai
- Myanmar
- Panama
- Philippines
- Uzbekistan
- Vietnam

SBRG Med Tech is committed to adding excellence in healthcare. We manufacture best medical devices. We have incorporated the latest technology and tools with the fully automated assembly systems to achieve highest quality.

Our team of experts make sure that the products offered by us fully meets the medical standards and Accuracy.

“**SBRG Med Tech** embracing the goal by adding smiles to your life.”

UDYAM REGISTRATION CERTIFICATE

UDYAM REGISTRATION NUMBER: UDYAM-DL-88-0041124

NAME OF ENTERPRISE: MS SBRG MEDTECH PRIVATE LIMITED

SNo.	Date Year	Classification Year	Enterprise Type	Classification Date
1	2020-21	2022-23	Micro	26/11/2022

MAJOR ACTIVITY: **MANUFACTURING**

SOCIAL CATEGORY OF ENTREPRENEUR: GENERAL

NAME OF UNIT(S):

SNo.	Name of Unit(s)
1	SBRG MEDTECH PRIVATE LIMITED

OFFICIAL ADDRESS OF ENTERPRISE:

Flat/Door/Block No.	C-64	Name of Premises/Building	
Village/Town	hijrai nagar	Block	LAPAT NAGAR-I
Road/Street/Lane		City	DELHI
State	DELHI	District	SOUTH, Pin 110024
Mobile	9818973991	E-mail:	solutions@gsmsoc.co.in

DATE OF INCORPORATION / REGISTRATION OF ENTERPRISE: 17/11/2022

MSME Certificate

Certificate of Incorporation

1. I hereby certify that SBRG MEDTECH PRIVATE LIMITED is incorporated on the Seventeenth day of November Two thousand twenty two under the Companies Act, 2013 (18 of 2013) and that the company is limited by shares.

The Corporate Identity Number (CIN) of the company is: U31212DL2022PTC060087.

The Permanent Account Number (PAN) of the company is: ARBQST46H.

The Tax Deduction and Collection Account Number (TAN) of the company is: DELSP949G.

Given under my hand at New Delhi this Seventeenth day of November Two thousand twenty two.

Digital Signature Certificate
SANJEEV KUMAR JAIN
Registrar of Companies
Central Registration Centre

Declaration: This certificate only certifies incorporation of the company on the basis of documents and declarations of the applicants. This certificate is neither a license nor permission to conduct business or collect deposits or fresh loans from public. Permission of other regulators is necessary whenever required. Registrars name and other details of the company can be verified on www.mca.gov.in

Mailing Address as per records available in Register of Companies office:
SBRG MEDTECH PRIVATE LIMITED
C-64, Kupper Nagar-I, Delhi, South Delhi, Delhi, India, 110024

*As issued by the Income Tax Department

Certificate of Incorporation

Certificate of Compliance

CE

Manufacturer: SBRG MEDTECH PVT. LTD.

Address: Plot no. 352, Phase 4, Sector 37, Gurgaon, Haryana 122006, India

Products: Infusion Sets for the following: 1. 20 Gauge, 2. 22 Gauge, 3. 24 Gauge, 4. 26 Gauge, 5. 28 Gauge, 6. 30 Gauge, 7. 32 Gauge, 8. 34 Gauge, 9. 36 Gauge, 10. 38 Gauge, 11. 40 Gauge, 12. 42 Gauge, 13. 44 Gauge, 14. 46 Gauge, 15. 48 Gauge, 16. 50 Gauge, 17. 52 Gauge, 18. 54 Gauge, 19. 56 Gauge, 20. 58 Gauge, 21. 60 Gauge, 22. 62 Gauge, 23. 64 Gauge, 24. 66 Gauge, 25. 68 Gauge, 26. 70 Gauge, 27. 72 Gauge, 28. 74 Gauge, 29. 76 Gauge, 30. 78 Gauge, 31. 80 Gauge, 32. 82 Gauge, 33. 84 Gauge, 34. 86 Gauge, 35. 88 Gauge, 36. 90 Gauge, 37. 92 Gauge, 38. 94 Gauge, 39. 96 Gauge, 40. 98 Gauge, 41. 100 Gauge, 42. 102 Gauge, 43. 104 Gauge, 44. 106 Gauge, 45. 108 Gauge, 46. 110 Gauge, 47. 112 Gauge, 48. 114 Gauge, 49. 116 Gauge, 50. 118 Gauge, 51. 120 Gauge, 52. 122 Gauge, 53. 124 Gauge, 54. 126 Gauge, 55. 128 Gauge, 56. 130 Gauge, 57. 132 Gauge, 58. 134 Gauge, 59. 136 Gauge, 60. 138 Gauge, 61. 140 Gauge, 62. 142 Gauge, 63. 144 Gauge, 64. 146 Gauge, 65. 148 Gauge, 66. 150 Gauge, 67. 152 Gauge, 68. 154 Gauge, 69. 156 Gauge, 70. 158 Gauge, 71. 160 Gauge, 72. 162 Gauge, 73. 164 Gauge, 74. 166 Gauge, 75. 168 Gauge, 76. 170 Gauge, 77. 172 Gauge, 78. 174 Gauge, 79. 176 Gauge, 80. 178 Gauge, 81. 180 Gauge, 82. 182 Gauge, 83. 184 Gauge, 84. 186 Gauge, 85. 188 Gauge, 86. 190 Gauge, 87. 192 Gauge, 88. 194 Gauge, 89. 196 Gauge, 90. 198 Gauge, 91. 200 Gauge, 92. 202 Gauge, 93. 204 Gauge, 94. 206 Gauge, 95. 208 Gauge, 96. 210 Gauge, 97. 212 Gauge, 98. 214 Gauge, 99. 216 Gauge, 100. 218 Gauge, 101. 220 Gauge, 102. 222 Gauge, 103. 224 Gauge, 104. 226 Gauge, 105. 228 Gauge, 106. 230 Gauge, 107. 232 Gauge, 108. 234 Gauge, 109. 236 Gauge, 110. 238 Gauge, 111. 240 Gauge, 112. 242 Gauge, 113. 244 Gauge, 114. 246 Gauge, 115. 248 Gauge, 116. 250 Gauge, 117. 252 Gauge, 118. 254 Gauge, 119. 256 Gauge, 120. 258 Gauge, 121. 260 Gauge, 122. 262 Gauge, 123. 264 Gauge, 124. 266 Gauge, 125. 268 Gauge, 126. 270 Gauge, 127. 272 Gauge, 128. 274 Gauge, 129. 276 Gauge, 130. 278 Gauge, 131. 280 Gauge, 132. 282 Gauge, 133. 284 Gauge, 134. 286 Gauge, 135. 288 Gauge, 136. 290 Gauge, 137. 292 Gauge, 138. 294 Gauge, 139. 296 Gauge, 140. 298 Gauge, 141. 300 Gauge, 142. 302 Gauge, 143. 304 Gauge, 144. 306 Gauge, 145. 308 Gauge, 146. 310 Gauge, 147. 312 Gauge, 148. 314 Gauge, 149. 316 Gauge, 150. 318 Gauge, 151. 320 Gauge, 152. 322 Gauge, 153. 324 Gauge, 154. 326 Gauge, 155. 328 Gauge, 156. 330 Gauge, 157. 332 Gauge, 158. 334 Gauge, 159. 336 Gauge, 160. 338 Gauge, 161. 340 Gauge, 162. 342 Gauge, 163. 344 Gauge, 164. 346 Gauge, 165. 348 Gauge, 166. 350 Gauge, 167. 352 Gauge, 168. 354 Gauge, 169. 356 Gauge, 170. 358 Gauge, 171. 360 Gauge, 172. 362 Gauge, 173. 364 Gauge, 174. 366 Gauge, 175. 368 Gauge, 176. 370 Gauge, 177. 372 Gauge, 178. 374 Gauge, 179. 376 Gauge, 180. 378 Gauge, 181. 380 Gauge, 182. 382 Gauge, 183. 384 Gauge, 184. 386 Gauge, 185. 388 Gauge, 186. 390 Gauge, 187. 392 Gauge, 188. 394 Gauge, 189. 396 Gauge, 190. 398 Gauge, 191. 400 Gauge, 192. 402 Gauge, 193. 404 Gauge, 194. 406 Gauge, 195. 408 Gauge, 196. 410 Gauge, 197. 412 Gauge, 198. 414 Gauge, 199. 416 Gauge, 200. 418 Gauge, 201. 420 Gauge, 202. 422 Gauge, 203. 424 Gauge, 204. 426 Gauge, 205. 428 Gauge, 206. 430 Gauge, 207. 432 Gauge, 208. 434 Gauge, 209. 436 Gauge, 210. 438 Gauge, 211. 440 Gauge, 212. 442 Gauge, 213. 444 Gauge, 214. 446 Gauge, 215. 448 Gauge, 216. 450 Gauge, 217. 452 Gauge, 218. 454 Gauge, 219. 456 Gauge, 220. 458 Gauge, 221. 460 Gauge, 222. 462 Gauge, 223. 464 Gauge, 224. 466 Gauge, 225. 468 Gauge, 226. 470 Gauge, 227. 472 Gauge, 228. 474 Gauge, 229. 476 Gauge, 230. 478 Gauge, 231. 480 Gauge, 232. 482 Gauge, 233. 484 Gauge, 234. 486 Gauge, 235. 488 Gauge, 236. 490 Gauge, 237. 492 Gauge, 238. 494 Gauge, 239. 496 Gauge, 240. 498 Gauge, 241. 500 Gauge, 242. 502 Gauge, 243. 504 Gauge, 244. 506 Gauge, 245. 508 Gauge, 246. 510 Gauge, 247. 512 Gauge, 248. 514 Gauge, 249. 516 Gauge, 250. 518 Gauge, 251. 520 Gauge, 252. 522 Gauge, 253. 524 Gauge, 254. 526 Gauge, 255. 528 Gauge, 256. 530 Gauge, 257. 532 Gauge, 258. 534 Gauge, 259. 536 Gauge, 260. 538 Gauge, 261. 540 Gauge, 262. 542 Gauge, 263. 544 Gauge, 264. 546 Gauge, 265. 548 Gauge, 266. 550 Gauge, 267. 552 Gauge, 268. 554 Gauge, 269. 556 Gauge, 270. 558 Gauge, 271. 560 Gauge, 272. 562 Gauge, 273. 564 Gauge, 274. 566 Gauge, 275. 568 Gauge, 276. 570 Gauge, 277. 572 Gauge, 278. 574 Gauge, 279. 576 Gauge, 280. 578 Gauge, 281. 580 Gauge, 282. 582 Gauge, 283. 584 Gauge, 284. 586 Gauge, 285. 588 Gauge, 286. 590 Gauge, 287. 592 Gauge, 288. 594 Gauge, 289. 596 Gauge, 290. 598 Gauge, 291. 600 Gauge, 292. 602 Gauge, 293. 604 Gauge, 294. 606 Gauge, 295. 608 Gauge, 296. 610 Gauge, 297. 612 Gauge, 298. 614 Gauge, 299. 616 Gauge, 300. 618 Gauge, 301. 620 Gauge, 302. 622 Gauge, 303. 624 Gauge, 304. 626 Gauge, 305. 628 Gauge, 306. 630 Gauge, 307. 632 Gauge, 308. 634 Gauge, 309. 636 Gauge, 310. 638 Gauge, 311. 640 Gauge, 312. 642 Gauge, 313. 644 Gauge, 314. 646 Gauge, 315. 648 Gauge, 316. 650 Gauge, 317. 652 Gauge, 318. 654 Gauge, 319. 656 Gauge, 320. 658 Gauge, 321. 660 Gauge, 322. 662 Gauge, 323. 664 Gauge, 324. 666 Gauge, 325. 668 Gauge, 326. 670 Gauge, 327. 672 Gauge, 328. 674 Gauge, 329. 676 Gauge, 330. 678 Gauge, 331. 680 Gauge, 332. 682 Gauge, 333. 684 Gauge, 334. 686 Gauge, 335. 688 Gauge, 336. 690 Gauge, 337. 692 Gauge, 338. 694 Gauge, 339. 696 Gauge, 340. 698 Gauge, 341. 700 Gauge, 342. 702 Gauge, 343. 704 Gauge, 344. 706 Gauge, 345. 708 Gauge, 346. 710 Gauge, 347. 712 Gauge, 348. 714 Gauge, 349. 716 Gauge, 350. 718 Gauge, 351. 720 Gauge, 352. 722 Gauge, 353. 724 Gauge, 354. 726 Gauge, 355. 728 Gauge, 356. 730 Gauge, 357. 732 Gauge, 358. 734 Gauge, 359. 736 Gauge, 360. 738 Gauge, 361. 740 Gauge, 362. 742 Gauge, 363. 744 Gauge, 364. 746 Gauge, 365. 748 Gauge, 366. 750 Gauge, 367. 752 Gauge, 368. 754 Gauge, 369. 756 Gauge, 370. 758 Gauge, 371. 760 Gauge, 372. 762 Gauge, 373. 764 Gauge, 374. 766 Gauge, 375. 768 Gauge, 376. 770 Gauge, 377. 772 Gauge, 378. 774 Gauge, 379. 776 Gauge, 380. 778 Gauge, 381. 780 Gauge, 382. 782 Gauge, 383. 784 Gauge, 384. 786 Gauge, 385. 788 Gauge, 386. 790 Gauge, 387. 792 Gauge, 388. 794 Gauge, 389. 796 Gauge, 390. 798 Gauge, 391. 800 Gauge, 392. 802 Gauge, 393. 804 Gauge, 394. 806 Gauge, 395. 808 Gauge, 396. 810 Gauge, 397. 812 Gauge, 398. 814 Gauge, 399. 816 Gauge, 400. 818 Gauge, 401. 820 Gauge, 402. 822 Gauge, 403. 824 Gauge, 404. 826 Gauge, 405. 828 Gauge, 406. 830 Gauge, 407. 832 Gauge, 408. 834 Gauge, 409. 836 Gauge, 410. 838 Gauge, 411. 840 Gauge, 412. 842 Gauge, 413. 844 Gauge, 414. 846 Gauge, 415. 848 Gauge, 416. 850 Gauge, 417. 852 Gauge, 418. 854 Gauge, 419. 856 Gauge, 420. 858 Gauge, 421. 860 Gauge, 422. 862 Gauge, 423. 864 Gauge, 424. 866 Gauge, 425. 868 Gauge, 426. 870 Gauge, 427. 872 Gauge, 428. 874 Gauge, 429. 876 Gauge, 430. 878 Gauge, 431. 880 Gauge, 432. 882 Gauge, 433. 884 Gauge, 434. 886 Gauge, 435. 888 Gauge, 436. 890 Gauge, 437. 892 Gauge, 438. 894 Gauge, 439. 896 Gauge, 440. 898 Gauge, 441. 900 Gauge, 442. 902 Gauge, 443. 904 Gauge, 444. 906 Gauge, 445. 908 Gauge, 446. 910 Gauge, 447. 912 Gauge, 448. 914 Gauge, 449. 916 Gauge, 450. 918 Gauge, 451. 920 Gauge, 452. 922 Gauge, 453. 924 Gauge, 454. 926 Gauge, 455. 928 Gauge, 456. 930 Gauge, 457. 932 Gauge, 458. 934 Gauge, 459. 936 Gauge, 460. 938 Gauge, 461. 940 Gauge, 462. 942 Gauge, 463. 944 Gauge, 464. 946 Gauge, 465. 948 Gauge, 466. 950 Gauge, 467. 952 Gauge, 468. 954 Gauge, 469. 956 Gauge, 470. 958 Gauge, 471. 960 Gauge, 472. 962 Gauge, 473. 964 Gauge, 474. 966 Gauge, 475. 968 Gauge, 476. 970 Gauge, 477. 972 Gauge, 478. 974 Gauge, 479. 976 Gauge, 480. 978 Gauge, 481. 980 Gauge, 482. 982 Gauge, 483. 984 Gauge, 484. 986 Gauge, 485. 988 Gauge, 486. 990 Gauge, 487. 992 Gauge, 488. 994 Gauge, 489. 996 Gauge, 490. 998 Gauge, 491. 1000 Gauge, 492. 1002 Gauge, 493. 1004 Gauge, 494. 1006 Gauge, 495. 1008 Gauge, 496. 1010 Gauge, 497. 1012 Gauge, 498. 1014 Gauge, 499. 1016 Gauge, 500. 1018 Gauge, 501. 1020 Gauge, 502. 1022 Gauge, 503. 1024 Gauge, 504. 1026 Gauge, 505. 1028 Gauge, 506. 1030 Gauge, 507. 1032 Gauge, 508. 1034 Gauge, 509. 1036 Gauge, 510. 1038 Gauge, 511. 1040 Gauge, 512. 1042 Gauge, 513. 1044 Gauge, 514. 1046 Gauge, 515. 1048 Gauge, 516. 1050 Gauge, 517. 1052 Gauge, 518. 1054 Gauge, 519. 1056 Gauge, 520. 1058 Gauge, 521. 1060 Gauge, 522. 1062 Gauge, 523. 1064 Gauge, 524. 1066 Gauge, 525. 1068 Gauge, 526. 1070 Gauge, 527. 1072 Gauge, 528. 1074 Gauge, 529. 1076 Gauge, 530. 1078 Gauge, 531. 1080 Gauge, 532. 1082 Gauge, 533. 1084 Gauge, 534. 1086 Gauge, 535. 1088 Gauge, 536. 1090 Gauge, 537. 1092 Gauge, 538. 1094 Gauge, 539. 1096 Gauge, 540. 1098 Gauge, 541. 1100 Gauge, 542. 1102 Gauge, 543. 1104 Gauge, 544. 1106 Gauge, 545. 1108 Gauge, 546. 1110 Gauge, 547. 1112 Gauge, 548. 1114 Gauge, 549. 1116 Gauge, 550. 1118 Gauge, 551. 1120 Gauge, 552. 1122 Gauge, 553. 1124 Gauge, 554. 1126 Gauge, 555. 1128 Gauge, 556. 1130 Gauge, 557. 1132 Gauge, 558. 1134 Gauge, 559. 1136 Gauge, 560. 1138 Gauge, 561. 1140 Gauge, 562. 1142 Gauge, 563. 1144 Gauge, 564. 1146 Gauge, 565. 1148 Gauge, 566. 1150 Gauge, 567. 1152 Gauge, 568. 1154 Gauge, 569. 1156 Gauge, 570. 1158 Gauge, 571. 1160 Gauge, 572. 1162 Gauge, 573. 1164 Gauge, 574. 1166 Gauge, 575. 1168 Gauge, 576. 1170 Gauge, 577. 1172 Gauge, 578. 1174 Gauge, 579. 1176 Gauge, 580. 1178 Gauge, 581. 1180 Gauge, 582. 1182 Gauge, 583. 1184 Gauge, 584. 1186 Gauge, 585. 1188 Gauge, 586. 1190 Gauge, 587. 1192 Gauge, 588. 1194 Gauge, 589. 1196 Gauge, 590. 1198 Gauge, 591. 1200 Gauge, 592. 1202 Gauge, 593. 1204 Gauge, 594. 1206 Gauge, 595. 1208 Gauge, 596. 1210 Gauge, 597. 1212 Gauge, 598. 1214 Gauge, 599. 1216 Gauge, 600. 1218 Gauge, 601. 1220 Gauge, 602. 1222 Gauge, 603. 1224 Gauge, 604. 1226 Gauge, 605. 1228 Gauge, 606. 1230 Gauge, 607. 1232 Gauge, 608. 1234 Gauge, 609. 1236 Gauge, 610. 1238 Gauge, 611. 1240 Gauge, 612. 1242 Gauge, 613. 1244 Gauge, 614. 1246 Gauge, 615. 1248 Gauge, 616. 1250 Gauge, 617. 1252 Gauge, 618. 1254 Gauge, 619. 1256 Gauge, 620. 1258 Gauge, 621. 1260 Gauge, 622. 1262 Gauge, 623. 1264 Gauge, 624. 1266 Gauge, 625. 1268 Gauge, 626. 1270 Gauge, 627. 1272 Gauge, 628. 1274 Gauge, 629. 1276 Gauge, 630. 1278 Gauge, 631. 1280 Gauge, 632. 1282 Gauge, 633. 1284 Gauge, 634. 1286 Gauge, 635. 1288 Gauge, 636. 1290 Gauge, 637. 1292 Gauge, 638. 1294 Gauge, 639. 1296 Gauge, 640. 1298 Gauge, 641. 1300 Gauge, 642. 1302 Gauge, 643. 1304 Gauge, 644. 1306 Gauge, 645. 1308 Gauge, 646. 1310 Gauge, 647. 1312 Gauge, 648. 1314 Gauge, 649. 1316 Gauge, 650. 1318 Gauge, 651. 1320 Gauge, 652. 1322 Gauge, 653. 1324 Gauge, 654. 1326 Gauge, 655. 1328 Gauge, 656. 1330 Gauge, 657. 1332 Gauge, 658. 1334 Gauge, 659. 1336 Gauge, 660. 1338 Gauge, 661. 1340 Gauge, 662. 1342 Gauge, 663. 1344 Gauge, 664. 1346 Gauge, 665. 1348 Gauge, 666. 1350 Gauge, 667. 1352 Gauge, 668. 1354 Gauge, 669. 1356 Gauge, 670. 1358 Gauge, 671. 1360 Gauge, 672. 1362 Gauge, 673. 1364 Gauge, 674. 1366 Gauge, 675. 1368 Gauge, 676. 1370 Gauge, 677. 1372 Gauge, 678. 1374 Gauge, 679. 1376 Gauge, 680. 1378 Gauge, 681. 1380 Gauge, 682. 1382 Gauge, 683. 1384 Gauge, 684. 1386 Gauge, 685. 1388 Gauge, 686. 1390 Gauge, 687. 1392 Gauge, 688. 1394 Gauge, 689. 1396 Gauge, 690. 1398 Gauge, 691. 1400 Gauge, 692. 1402 Gauge, 693. 1404 Gauge, 694. 1406 Gauge, 695. 1408 Gauge, 696. 1410 Gauge, 697. 1412 Gauge, 698. 1414 Gauge, 699. 1416 Gauge, 700. 1418 Gauge, 701. 1420 Gauge, 702. 1422 Gauge, 703. 1424 Gauge, 704. 1426 Gauge, 705. 1428 Gauge, 706. 1430 Gauge, 707. 1432 Gauge, 708. 1434 Gauge, 709. 1436 Gauge, 710. 1438 Gauge, 711. 1440 Gauge, 712. 1442 Gauge, 713. 1444 Gauge, 714. 1446 Gauge, 715. 1448 Gauge, 716. 1450 Gauge, 717. 1452 Gauge, 718. 1454 Gauge, 719. 1456 Gauge, 720. 1458 Gauge, 721. 1460 Gauge, 722. 1462 Gauge, 723. 1464 Gauge, 724. 1466 Gauge, 725. 1468 Gauge, 726. 1470 Gauge, 727. 1472 Gauge, 728. 1474 Gauge, 729. 1476 Gauge, 730. 1478 Gauge, 731. 1480 Gauge, 732. 1482 Gauge, 733. 1484 Gauge, 734. 1486 Gauge, 735. 1488 Gauge, 736. 1490 Gauge, 737. 1492 Gauge, 738. 1494 Gauge, 739. 1496 Gauge, 740. 1498 Gauge, 741. 1500 Gauge, 742. 1502 Gauge, 743. 1504 Gauge, 744. 1506 Gauge, 745. 1508 Gauge, 746. 1510 Gauge, 747. 1512 Gauge, 748. 1514 Gauge, 749. 1516 Gauge, 750. 1518 Gauge, 751. 1520 Gauge, 752. 1522 Gauge, 753. 1524 Gauge, 754. 1526 Gauge, 755. 1528 Gauge, 756. 1530 Gauge, 757. 1532 Gauge, 758. 1534 Gauge, 759. 1536 Gauge, 760. 1538 Gauge, 761. 1540 Gauge, 762. 1542 Gauge, 763. 1544 Gauge, 764. 1546 Gauge, 765. 1548 Gauge, 766. 1550 Gauge, 767. 1552 Gauge, 768. 1554 Gauge, 769. 1556 Gauge, 770. 1558 Gauge, 771. 1560 Gauge, 772. 1562 Gauge, 773. 1564 Gauge, 774. 1566 Gauge, 775. 1568 Gauge, 776. 1570 Gauge, 777. 1572 Gauge, 778. 1574 Gauge, 779. 1576 Gauge, 780. 1578 Gauge, 781. 1580 Gauge, 782. 1582 Gauge, 783. 1584 Gauge, 784. 1586 Gauge, 785. 1588 Gauge, 786. 1590 Gauge, 787. 1592 Gauge, 788. 1594 Gauge, 789. 1596 Gauge, 790. 1598 Gauge, 791. 1600 Gauge, 792. 1602 Gauge, 793. 1604 Gauge, 794. 1606 Gauge, 795. 1608 Gauge, 796. 1610 Gauge, 797. 1612 Gauge, 798. 1614 Gauge, 799. 1616 Gauge, 800. 1618 Gauge, 801. 1620 Gauge, 802. 1622 Gauge, 803. 1624 Gauge, 804. 1626 Gauge, 805. 1628 Gauge, 806. 1630 Gauge, 807. 1632 Gauge, 808. 1634 Gauge, 809. 1636 Gauge, 810. 1638 Gauge, 811. 1640 Gauge, 812. 1642 Gauge, 813. 1644 Gauge, 814. 1646 Gauge, 815. 1648 Gauge, 816. 1650 Gauge, 817. 1652 Gauge, 818. 1654 Gauge, 819. 1656 Gauge, 820. 1658 Gauge, 821. 1660 Gauge, 822. 1662 Gauge, 823. 1664 Gauge, 824. 1666 Gauge, 825. 1668 Gauge, 826. 1670 Gauge, 827. 1672 Gauge, 828. 1674 Gauge, 829. 1676 Gauge, 830. 1678 Gauge, 831. 1680 Gauge, 832. 1682 Gauge, 833. 1684 Gauge, 834. 1686 Gauge, 835. 1688 Gauge, 836. 1690 Gauge, 837. 1692 Gauge, 838. 1694 Gauge, 839. 1696 Gauge, 840. 1698 Gauge, 841. 1700 Gauge, 842. 1702 Gauge, 843. 1704 Gauge, 844. 1706 Gauge, 845. 1708 Gauge, 846. 1710 Gauge, 847. 1712 Gauge, 848. 1714 Gauge, 849. 1716 Gauge, 850. 1718 Gauge, 851. 1720 Gauge, 852. 1722 Gauge, 853. 1724 Gauge, 854. 1726 Gauge, 855. 1728 Gauge, 856. 1730 Gauge, 857. 1732 Gauge, 858. 1734 Gauge, 859. 1736 Gauge, 860. 1738 Gauge, 861. 1740 Gauge, 862. 1742 Gauge, 863. 1744 Gauge, 864. 1746 Gauge, 865. 1748 Gauge, 866. 1750 Gauge, 867. 1752 Gauge, 868. 1754 Gauge, 869. 1756 Gauge, 870. 1758 Gauge, 871. 1760 Gauge, 872. 1762 Gauge, 873. 1764 Gauge, 874. 1766 Gauge, 875. 1768 Gauge, 876. 1770 Gauge, 877. 1772 Gauge, 878. 1774 Gauge, 879. 1776 Gauge, 880. 1778 Gauge, 881. 1780 Gauge, 882. 1782 Gauge, 883. 1784 Gauge, 884. 1786 Gauge, 885. 1788 Gauge, 886. 1790 Gauge, 887. 1792 Gauge, 888. 1794 Gauge, 889. 1796 Gauge, 890. 1798 Gauge, 891. 1800 Gauge, 892. 1802 Gauge, 893. 1804 Gauge, 894. 1806 Gauge, 895. 1808 Gauge, 896. 1810 Gauge, 897. 1812 Gauge, 898. 1814 Gauge, 899. 1816 Gauge, 900. 1818 Gauge, 901. 1820 Gauge, 902. 1822 Gauge, 903. 1824 Gauge, 904. 1826 Gauge, 905. 1828 Gauge, 906. 1830 Gauge, 907. 1832 Gauge, 908. 1834 Gauge, 909. 1836 Gauge, 910. 1838 Gauge, 911. 1840 Gauge, 912. 1842 Gauge, 913. 1844 Gauge, 914. 1846 Gauge, 915. 1848 Gauge, 916. 1850 Gauge, 917. 1852 Gauge, 918. 1854 Gauge, 919. 1856 Gauge, 920. 1858 Gauge, 921. 1860 Gauge, 922. 1862 Gauge, 923. 1864 Gauge, 924. 1866 Gauge, 925. 1868 Gauge, 926. 1870 Gauge, 927. 1872 Gauge, 928. 1874 Gauge, 929. 1876 Gauge, 930. 1878 Gauge, 931. 1880 Gauge, 932. 1882 Gauge, 933. 1884 Gauge, 934. 1886 Gauge, 935. 1888 Gauge, 936. 1890 Gauge, 937. 1892 Gauge, 938. 1894 Gauge, 939. 1896 Gauge, 940. 1898 Gauge, 941. 1900 Gauge, 942. 1902 Gauge, 943. 1904 Gauge, 944. 1906 Gauge, 945. 1908 Gauge, 946. 1910 Gauge, 947. 1912 Gauge, 948. 1914 Gauge, 949. 1916 Gauge, 950. 1918 Gauge, 951. 1920 Gauge, 952. 1922 Gauge, 953. 1924 Gauge, 954. 1926 Gauge, 955. 1928 Gauge, 956. 1930 Gauge, 957. 1932 Gauge, 958. 1934

Infusion/Transfusion Therapy

Safety IV Canula with Injection Port & with Wings	6
Intravenous Cannula	7-8
Safety I.V Catheter	9
Extension Sets	10
3 Way Stop Cock as an Accessory to Perfusion Sets	11
Three Way Stop Cock With Extension Tube	11
Extension Set	12
Intravenous Catheter	13
Blood Administration Set	13
Infusion Set for Single Use	14
IV Flow Regulator	14
Measured Volume IV Set	15
Scalp Vein Set	16

Anaesthesia & Respiratory Care

Suction Catheter	17
Nasal Oxygen Catheter	18
Oropharyngeal Airways	19
Spinal Needle	19
Respiratory Exerciser	20
Rebreathing Oxygen Face Mask	20
Oxygen Mask with Reservoir	21
Aerosol Therapy Mask	21
Endotracheal Tube	22
Tracheobronchial Suction Catheter	23
Ventilator Circuits	24
Bain Circuits	25
Catheter Mount	26
Heat and Moisture Exchange Filter	26
Nebulizer Mask	27
Epidural Catheter	27
Tracheostomy tube	28

Urology

Closed-Ended Wearable Urine Collection Bag, Sterile	29
Urine Collection Bags with Measured Volume Meter	30
Foley Catheter	31
Urine Drainage Catheters	32
Tur Set	32
Nelaton Catheter	33

Gastroenterology

Ryles Tube	34
Feeding Tube	34
Feeding Bag	35
Umbilical Catheter	35
Stomach Evacuator	36
Levine Tube	36

Surgery and Wound Drainage

Closed Wound Drainage System	37
Suction Tip and Catheter	37
Trocars	38

Others

Cannula Fixator	39
Umbilical Cord Clamp	39
Pressure Monitoring Kit	40
Fistula Needle	41
Hypodermic Needle	41
Umbilical Artery Catheter	42

SB CANNV

Safety IV Cannula with Injection Port & with Wings



Cross Clip needle safety guard



Ergonomically designed wings



Transparent flashback chamber

Features


- Extra-Sharp Back Cut bevel :- Universal back cut bevel smoothly inserts into vein with minimal puncture trauma.
- Radio Opaque catheter:- Soft catheter feels comfortable to patient and increased the indwelling time.
- Radio opaque property of catheter is good for X-rays visibility.
- Wing:- provides good stability and inclination angle of catheter to reduce stability related complications.
- Injection Port:- Allows extra passage for quick injection without interruption of main infusion line
- Needle Hub:- Ergonomic design of needle hub for better thumb support during venipuncture.
- Safety clip:- Passive safety clip prevents automatic needlestick injury.
- Flash back Chamber:- Transparent chamber to ensure quick visualization.

	Size	Catheter O.D mm	Catheter Length (mm)	Flow Rate (ml/min)	Product Code
14G	Orange	2.1	45	270	01010614
16G	Grey	1.7	45	200	01010616
17G	White	1.5	45	125	01010617
18G	Green	1.3	32	90	01010818
18G	Green	1.3	45	90	01010618
20G	Pink	1.1	32	60	01010820
22G	Blue	0.9	25	36	01010922
24G	Yellow	0.7	19	23	01011024

I.V. Cannula for continuous peripheral intravenous infusion

I.V. Cannula with port and wings

Size : 14G to 26G



Size	Catheter O.D mm	Catheter Length (mm)	Flow Rate (ml/min)	Product Code
14G Orange	2.1	45	270	01010114
16G Grey	1.7	45	200	01010116
17G White	1.5	45	125	01010117
18G Green	1.3	32	90	01010318
18G Green	1.3	45	90	01010118
20G Pink	1.1	32	60	01010320
22G Blue	0.9	25	36	01010422
24G Yellow	0.7	19	23	01011524
26G Violet	0.6	19	15	01011526

Features

- Special tapered & Kink resistant FEP radiopaque catheter for easy insertion with optimal flow rate
- Special flexible wings to provide easy and secure fixation
- Manufactured from tested biocompatible materials offering longer indwelling time
- Rounded grip on the needle hub for better support during insertion
- Injection port with non - return silicon valve for intermittent medication

Intravenous Cannula

I.V. Cannula for continuous peripheral intravenous infusion

I.V. Cannula without port
& with small wings
Size : 24 G - 26G



Size	Catheter O.D mm	Catheter Length (mm)	Flow Rate (ml/min)	Product Code
24G Yellow	0.7	19	23	01012124
26G Violet	0.6	19	15	01012126

I.V. Cannula without port
and without wings
Size : 14G to 26G



Size	Catheter O.D mm	Catheter Length (mm)	Flow Rate (ml/min)	Product Code
14G Orange	2.1	45	270	01011614
16G Grey	1.7	45	200	01011616
17G White	1.5	45	125	01011617
18G Green	1.3	32	90	01011618
18G Green	1.3	45	90	01011818
20G Pink	1.1	32	60	01011820
22G Blue	0.9	25	36	01011922
24G Yellow	0.7	19	23	01012024
26G Violet	0.6	19	15	01012026

SAFETY I.V. CATHETER

Safety I.V. Catheter

Infusion/Transfusion Therapy

Safety I.V. Catheter without injection port and wings is designed with Passive full automatic safety feature which covers the tip of the needle completely after use, hence protecting healthcare workers against the risk of needle stick injuries and related infections.



Size	Catheter O.D mm	Catheter Length (mm)	Flow Rate (ml/min)	Product Code	
14G	Orange	2.1	45	270	01010614
16G	Grey	1.7	45	200	01010616
17G	White	1.5	45	125	01010617
18G	Green	1.3	32	90	01010818
18G	Green	1.3	45	90	01010618
20G	Pink	1.1	32	60	01010820
22G	Blue	0.9	25	36	01010922
24G	Yellow	0.7	19	23	01011024


Features

- Catheter tip is designed for a smooth cannulation experience, Radiopaque Stripes are also present for easy detection of catheter presence under X-Ray.
- Self-activation tip cover technology for protection against needle stick injuries, which cannot be bypassed.
- Universal triple beveled back cut needle, which offer lower resistance during insertion, resulting in minimum trauma.
- Gauge wise color coded body as per international standards.
- Quick Flash back confirm successful cannulation.
- DEHP / LATEX – FREE.

BLOCONNECT

Extension Sets

Extension Sets are devices that allow quick access to the infusion line, ensuring a secure connection.



Size	Mono	Duo	Trio	Quatro	Penta
Product Code	01070101	01070102	01070103	01070104	01070105

Features

- Fast and safe access to the infusion line.
- Reduced risk of accidental puncture and infection for healthcare professionals.
- Protection of the patient's catheter from contamination.
- Reduction of the risk of device occlusion.
- Flat smooth swabbable surface for ease of disinfection.
- Available standalone and with tubing like mono, duo, trio, quatro, penta with different tube size.

Type	Specification
Mono	Extension Tube small bore Mono-10 cm with needle free connector
Duo	Extension Tube small bore Duo-13 cm with needle free connector
Trio	Extension Tube small bore Trio-15 cm with needle free connector
Duo	Extension Tube large bore Duo-15 cm with needle free connector
Trio	Extension Tube large bore Trio-15 cm with needle free connector
Mono	Extension Tube large bore Mono-10 cm with needle free connector
Duo	Extension Tube small bore Duo-12 cm with needle free connector
Duo	Extension Tube large bore Duo-12 cm with needle free connector
Duo	Extension Tube small bore Duo-12 cm with needle free connector with BCV
Trio	Extension Tube small bore Trio-19 cm with needle free connector
Quatro	Extension Tube small bore Quatro-15 cm with needle free connector
Penta	Extension Tube small bore Penta-15 cm with needle free connector
Standalone	Needle free connector



Also available as Standalone Needle Free Connector



Needle free connector to reduce the risk of Catheter Related Bloodstream Infections

T-WAY

Three Way Stop Cock as an Accessory to Perfusion Sets

Infusion/Transfusion Therapy

It is designed for multiple infusion of medicine, fluids and blood components to patient

Features

- Smooth Rotation of Handle align easily fluid path.
- Fully validated and can sustain pressure upto 6 bar.
- Fully transparent material allow clear visualization of fluid / medicine.
- Compatibility with other standard accessories.
- Compatible with Lipid drugs also.
- 360° rotation.




Colour	● Blue	● Red	● White
Product Code Lipid	01030101	01030102	01030103
Product Code Non - Lipid	01030201	01030202	01030203

T-WAY-EX

Three Way Stop Cock With Extension Tube

It is the extension line connected one end with three way stop cock and another end with Male Luer lock, used for administration of fluids and medicines to the patients.



Features


- Smooth Internal path without any flow turbulence.
- Fully transparent and bio-compatible material.
- Transparent, Kink resistant Tubing.
- Universal 6% taper male-female connection.

Length	Product Code
5 CM	01050101
10 CM	01050102
15 CM	01050103
25 CM	01050104
50 CM	01050105
75 CM	01050106
100 CM	01050107
125 CM	01050108
150 CM	01050109
175 CM	01050110
200 CM	01050111
225 CM	01050112
250 CM	01050113

EXTENSION LINES


Extension Set

Extension Line is used for various Infusion or transfusion in order to allow for attachment with any special or general purpose medical device



EX HIGHLINE

High Pressure Extension Line



EX LOWLINE

Low Pressure Extension Line

Features

- Super smooth inner profile of tube ensures uniform flow rate.
- Male luer connector with cap at one end and female luer lock connector at another end.
- Available with DEHP free material.
- Transparent, Kink resistant Tubing.
- Universal 6% taper Male connection.
- Bio-compatible material
- Customized the tube length with inner & outer diameter

Length	Product Code (EX HIGHLINE)	Product Code (EX LOWLINE)
5 CM	01040101	01040201
10 CM	01040102	01040202
15 CM	01040103	01040203
25 CM	01040104	01040204
50 CM	01040105	01040205
75 CM	01040106	01040206
100 CM	01040107	01040207
125 CM	01040108	01040208
150 CM	01040109	01040209
175 CM	01040110	01040210
200 CM	01040111	01040211
225 CM	01040112	01040212
250 CM	01040113	01040213

V-PRESSCHECK

Intravenous Catheter

Infusion/Transfusion Therapy

The **Intravenous Catheter** are used for continuous or intermittent monitoring of central venous pressure during infusion

Features

- Specially designed to measure and monitor continuous or intermittent central venous pressure.
- CVP manometer is a tube with graduations marked from - 4 cm to + 34 cm and attached to three way stop cock.
- Extra soft kink-resistant frosted 120cm long extension tube is fitted with female luer lock on one end and male luer lock on the other end for safe connection to central venous catheter.
- Sliding indicator is provided to record reading.
- Molded clamps with latex rubber strings are provided for easy fixation to IV Stands.
- Y-injection site/Latex rubber flash bulb is provided for extra medication.
- The manometer is manufactured from non-toxic Polypropylene & Poly Vinyl Chloride.
- The product is sterilized using EO (Ethylene Oxide) gas.



Type	Product Code
STANDARD	01080101

BLOOD ADMINISTRATION SET

Blood Administration Set

Features

- Sharp non-vented spike suitable for blood bags and all type of standard blood containers.
- Provided with a cylindrical drip chamber with 200 filter to prevent passage of any blood clots, down the path.
- Flash ball type injection port for extra medication.
- Comes with smooth 150 cm long, kink resistant tube.
- Efficient roller controller for accurate adjustment of transfusion rate.
- Sterile, individually packed.



Type	Product Code (B.T. Set Single Drip Chamber)	Product Code (B.T. Set Double Drip Chamber)	Product Code (B.T. Set with Y Site Single Drip Chamber)
VENTED	05010101	05010201	05010301
NON-VENTED	05010102	05010202	05010302

VSET STOP

Infusion Set for Single Use

It is used as a passage way of fluid being delivered to the patient. The transfer of the intravenous (IV) fluid is facilitated by gravitational force.

Features

- Sharp air vented spike easily puncture fluid bottle without any unwanted leakage.
- Smooth Internal path without any flow turbulence.
- Regulator, regulates the volume of flow.
- Transparent, Kink resistant Tubing.
- Universal 6% taper Male connection.
- The product is sterilized using EO (Ethylene Oxide) gas.

Type	Product Code
Vented	01020101
Non-Vented	01020102
Auto	01020103



VREG SET

IV Flow Regulator

IV Flow Regulator extension set to regulate the flow of IV fluid from an infusion set into an I.V catheter.

Features

- Super smooth kink resistance tubing ensures uniform flow rate.
- Designed to control flow rate from 5ml/hr - 250 ml/hr manually.
- Option available with "Y" connector injection site for extra medication without disturbing the main line.
- Universal Male and female luer lock makes it compatible with other devices.
- Available with DEHP free material.




Type	Product Code
'Y' Type Connector	01090101

MVF SET

Measured Volume Fluid Administration Set

Infusion/Transfusion Therapy

A burette set is specially design to deliver a fixed volume of IV fluid at fixed rate, usually with added medication.



Type	Product Code
110 ml	01060101
150 ml	01060102

Features

- Specialized measured volume set made up of DEHP free material.
- Equipped with a micro drip with reduced drop size of 60 drops per ml.
- Provided with a burette type chamber of 100 ml capacity with 10 ml overflow limit.
- Burette chamber is made of bio-compatible medical grade transparent styrene polymer, suitable for infusing all types of fluids.
- Unique floating auto shut off valve acts as a floating indicator and automatically shuts off the drain path to prevent the passage of air in the line.
- No-kink device prevents kinking of tube during transportation and transfers.
- Separate plugs for extra medication and change over.
- Sterile, individually packed.

OPTIONS AVAILABLE

- Capacity : 110 ml & 150 ml
- Drop Rate : 60 drops/ml

SCALP VEIN SET

Scalp Vein Set

Infusion/Transfusion Therapy



Features

- A short beveled siliconized needle facilitates atraumatic cannulation.
- Thin wall needle provides better flow rate per gauge.
- Butterfly shaped wings facilitate easy handling and attachment with the skin.
- Butterflies are color coded for instant identification of needle size.
- The proximal end of the set is provided with flexible female luer fitting.
- Butterfly connected to soft non-toxic, nonirritant tube which does not kink or coil.
- Sterile, individually packed in Blister pack.

Neno Gauge	Product Code
18	01100118
20	01100120
21	01100121
22	01100122
23	01100123
24	01100124
25	01100125
26	01100126
27	01100127

SUCTION CATHETER

Suction Catheter

Anaesthesia & Respiratory Care


Suction Catheters Critically ill or injured patients who require breathing (endotracheal) tube or tracheostomy tube need occasional suctioning to remove secretions from the airway.

Thumb Control Connector



Standard Connector

Finger Tip Control Connector




Atraumatic, soft & rounded closed tip with one/two lateral eyes

FG	Standard Connector	Thumb Control Connector	Finger Tip Control Connector	Atraumatic, Soft & rounded closed tip with one / two lateral eyes.
06	02010106	02010206	02010306	02010406
08	02010108	02010208	02010308	02010408
10	02010110	02010210	02010310	02010410
12	02010112	02010212	02010312	02010412
14	02010114	02010214	02010314	02010414
16	02010116	02010216	02010316	02010416
18	02010118	02010218	02010318	02010418
20	02010120	02010220	02010320	02010420
22	02010122	02010222	02010322	02010422
24	02010124	02010224	02010324	02010424

Features

- Smooth close distal end with two lateral eyes.
- Universal Female mount.
- High quality Bio-compatible material.
- Kink resistant PVC tubing with Radio-opaque line.
- Available length 50 cm.
- Size :- 5FG to 24FG.
- DEHP free material

Options Available



NASAL OXYGEN CANNULA

Nasal Oxygen Catheter Twin bore nasal oxygen cannula

Nasal Oxygen Catheter is a medical device to provide supplemental oxygen therapy to people who have lower oxygen levels.



Neonatal



Paediatric



Adult

Features

- Kink resistant medical grade tubing.
- Star lumen tube for better connection and avoid blockage.
- Efficiently administration of oxygen to the patient.
- Bio-compatible material of soft twin prong nasal tip ensure equal distribution of oxygen.

Size	Product Code
Neonatal	04080101
Paediatric	04080102
Adult	04080103

ORO-PHARYNGEAL AIRWAY

Oro-Pharyngeal Airways

Anaesthesia & Respiratory Care

The **Oro-pharyngeal Airways** devices maintain un-obstructed respiration and prevent patients from biting the tongue after general anaesthesia

Features

- The oro-pharyngeal airway devices are made from the raw material of PE.
- Rounded atraumatic edges.
- Made from semi-rigid non toxic Polyethylene.
- Bite block to prevent biting of tongue and airway occlusion.
- Smooth airway path for easy cleaning.
- Color coded for easy identification of sizes
- Individually packed, EO Sterile.
- Shelf life-5 Years.
- Size : 000, 00, 0, 1, 2, 3, 4, 5



Size/Colour	Product Code
5 Yellow	04050101
4 Red	04050102
3 Orange	04050103
2 Green	04050104
1 White	04050105
0 Black	04050106
00 Blue	04050107
000 Violet	04050108

SPINAL NEEDLE

Spinal Needle


Spinal Needle is used for dural puncture for both diagnostic and anesthetic purposes

Features

- Needle hub gripping provide exceptional control during dural puncture.
- Minimize post dural puncture headache (PDPH).
- Suitable for spinal anaesthesia.
- High flow rate enables faster cerebrospinal flashback (CSF).
- Transparent needle hub helps easy visualization of CSF or blood.
- Available with customized needle length.
- Available Quincke point and Pencil point with or without introducer.



Quincke Point



18 G	19 G	20 G	21 G	22 G	23 G	24 G	25 G	26 G	27 G
04090118	04090119	04090120	04090121	04090122	04090123	04090124	04090125	04090126	04090127

RESPIRATORY EXERCISER

Respiratory Exerciser

Respiratory Exerciser is used as a comprehensive deep breathing exerciser

Features

- Restores and maintains lung capacity in post operative patients by slow, synchronized deep breathing.
- Allows visual calibration and estimation of the patients progress.
- Strengthens primary and accessory respiratory muscles and conditions them.
- Enhances endurance of both inspiratory and expiratory muscles.
- Improves respiratory parameters, Improves maximal exercise capacity.
- Improves cardio-pulmonary status of the patient, enhancing the overall fitness and well being.
- Increases circulation of hormones in the blood which increase the blood flow to the heart, brain and lungs.
- Improves oxygenation of blood, reduces fat levels by burning calories.
- Assists pulmonary rehabilitation in patients with COPD, improves the quality of their life.
- Sustained deep breathing has been shown to relieve anxiety and fight stress.



Type	Product Code
STANDARD	04100101

OXYGEN MASK

Rebreathing Oxygen Face Mask

Oxygen Mask is the device to transfer breathing oxygen gas from a storage tank to the lungs

Features

- Smooth and feathered edge of face mask for patient's comfort and reduce irritation points.
- Super smooth kink resistance tubing ensures uniform flow rates.
- Proximal end of tube is connected with funnel shape connector for easy connection with oxygen source.
- Star lumen main tube to avoid accidental blockage.
- Tube length : 210 cm.
- Available size :- Adult, Paediatric & neonatal.



Size	Product Code
Paediatric	04010101
Adult	04010102
Neonatal	04010103

OXYGEN MASK WITH RESERVOIR

Oxygen Mask With Reservoir

Anaesthesia & Respiratory Care

High Concentration oxygen mask with tubing is intended to supply oxygen or other gases to an individual for oxygen therapy, and the reservoir bag is able to avoid rebreathing.

Features

- Smooth and feathered edge of face mask for patient's comfort and reduce irritation points.
- Super smooth kink resistance tubing ensures uniform flow rate.
- Proximal end of tube is connected with funnel shape connector for easy connection with oxygen source.
- Star lumen main tube to avoid accidental blockage.
- Tube length : 210 cm.
- Available size :- Adult & Paediatric



Size	Product Code
Paediatric	04010201
Adult	04010202

AEROSOL THERAPY MASK

Aerosol Therapy Mask

Aerosol Therapy Mask use oxygen, compressed air or ultrasonic power to break up solutions and suspensions into small aerosol droplets that are inhaled from the mouthpiece of the device.

Size	Product Code
Paediatric	04020101
Adult	04020102

Features

- Ideal for long term use.
- Star lumen tube for better connection.
- Uniform practical size generation (approximately 2 microns).
- Very effective for medication delivery.
- Light weight and easy to handle.



ENDOTRACHEAL TUBES


Endotracheal Tube

It is used to provide oxygen and inhaled gases to the lungs and protects the lungs from contamination, such as gastric contents or blood.

Endotracheal Tubes
(Cuffed)



Endotracheal Tubes
(Plain)



Features

- High Volume, low pressure cuff, maintains seal throughout ventilator cycle.
- X-ray detective line available.
- Thermosensitive PVC allows the tube to soften at body temperature to confirm airway anatomy
- Clear PVC tube with Visible marking for easy observation.
- Murphy eye smoothly formed to allow ventilation in the event of obstruction to the end of tube during intubation.
- Universal 15mm Connector at proximal end.
- Available with DEHP free Material.
- Sterile/Disposable / Individually packed.

Size/MM	PLAIN ET TUBE PRODUCT CODE	CUFFED ET TUBE PRODUCT CODE
2.0	04030101	04030201
2.5	04030102	04030202
3.0	04030103	04030203
2.5	04030104	04030204
4.0	04030105	04030205
4.5	04030106	04030206
5.0	04030107	04030207
5.5	04030108	04030208
6.0	04030109	04030209
7.5	04030110	04030210
8.0	04030111	04030211
8.5	04030112	04030212
9.0	04030113	04030213
9.5	04030114	04030214
10.0	04030115	04030215

MUCUS EXTRACTOR

Tracheobronchial Suction Catheter

Anaesthesia & Respiratory Care

Tracheobronchial Suction Catheter is a device which is indicated for use in new-borns, infants or small children to clear the secretion from oral cavity.



Features


- Specially designed for aspiration of secretions from oropharynx in newly born babies.
- Clear transparent container permits immediate visual examination of the aspirate.
- Also suitable for obtaining mucus specimen for micro biological examinations.
- Spare plug cap is provided to seal the container for safe transportation of specimen to laboratory or aseptic disposal of container.
- Sterile, individually packed in a peelable medical grade paper pack / poly bag

FG	Product Code
08	04060108
10	04060110
12	04060112
14	04060114

VENTILATOR CIRCUITS


Ventilator Circuits

Ventilator circuit is the gas pathway connecting patients lung to the mechanical ventilator.



Ventilator Circuits with one water trap

Size	Product Code
Adult	04110101
Paediatric	04110102



Ventilator Circuits with two water trap

Size	Product Code
Adult	04110201
Paediatric	04110202

Features

- Re-sealable water-trap provides a perfect sealing while removal of excess collection of water from the water-traps giving a continuous flow.
- Made of high quality medical grade plastic with 22M-22F straight connector.
- Transparent for easy monitoring of water build-up or blockages.
- Corrugated, Flexible and Light weight tubing 1.6 meter with single and double re-sealable water trap, 'Y Piece' with monitoring port.
- Individually packed in poly pack, Available sizes : Adult and Pediatric.

Bain circuits is a co-axial modification of the basic T-piece system, developed to facilitate scavenging of waste anesthetic gases.



Features

- Compact and inexpensive, Low resistance to breathing.
- Facilitates scavenging of waste gases
- Adult :- It is based on Mapleson's D system, Provided with 22 mm corrugated tube, expiratory valve and 2 litre antistatic bag.
- Pediatric:- It is based on Mapleson's F system, provided with 15 & 10 mm corrugated tube with a 0.5 liter antistatic rebreathing bag and a bag bleed valve.
- Sterile/ Disposable / Individually packed.

Type	Product Code
STANDARD	04120101

CATHETER MOUNT

Catheter Mount

Catheter Mount connects patient ET to breathing circuit. This minimizes the jerk of breathing to ET or TT reducing trauma to trachea.

Features

- The double swivel makes no dragging on breathing circuit & ET or TT.
- Light weight double swivel rotates 360° on both axis, minimum compliance, Low dead.
- Compatible with all type of breathing and ventilator circuits.
- Provided with 22 mm standard female connector on both the ends with inner diameter of 15 mm.
- Collapsible corrugated tubing being inert to all anesthetic gases and all reagents.
- An elbow port is provided for easy suctioning without causing disturbance to breathing circuits.
- Sterile/ Disposable / Individually packed.



Type	Product Code
STANDARD	04070101

HME FILTER

Heat and Moisture Exchange Filter

HME Filters used to maintain passively heat and moisturizer levels of air prevent any bacteria or viruses from entering the patient's airways.

Features

- Provides effective protection against various types of particles including bacteria, viruses, and moisture droplets.
- Precisely engineered and easy to use device made up of high strength plastic material offering reliable performance.
- Provided with high efficiency electrostatic filters to address concerns associated with ventilated patients.
- The filters help protect the patient, the equipment, and the breathing circuit from contamination.
- Enhances particle capture efficiency and give a low and stable breathing resistance even when wet.
- A conveniently located port or connection permits gas sampling at the top of the housing,
- H.M.E.F's are designed according to "ISO" standards to help facilitate connection to different ventilators and anesthesia systems.



Size	Product Code
Paediatric	04040101
Adult	04040102

NEBULIZER MASK

Nebulizer Mask

Anaesthesia & Respiratory Care

Features




- Soft, clear Aerosol Mask with anatomical form is ideal for long term use.
- Gently rolled, feathered edges with integrated nose bridge for extra comfort.
- Swivel connector for convenience of nebulization in horizontal and vertical position.
- Larger surface area provided by unique convex cone design, ensures maximum capillary action, and eliminates medicinal wastage.

Size (210 cm Tube)	Product Code
Child	04020101
Adult	04020102

EPIDURAL CATHETER

Epidural Catheter

Features



- Kink and stretch resistant.
- Easy to thread and remove.
- Latex-free.
- Easy to anchor with the Catheter Connector
- The catheter has marking every centimeter from 5 to 20 cm and black mark at the distal end to ensure that entire catheter has been withdrawn.
- A catheter guide which connects on the Tuohy needle facilitates the insertion of the catheter in the epidural space.
- Yellow label for epidural access identification.

Gauge	Product Code
19	04140119
20	04140120

TRACHEOSTOMY TUBE

Tracheostomy Tube

Anaesthesia & Respiratory Care



Size (mm)	Product Code
5.0	04130150
6.0	04130160
7.0	04130170
7.5	04130175
8.0	04130180
9.0	04130190
10	04130110

Features

- Made of thermosensitive material which softens at body temperature to accommodate individual patient anatomy.
- Soft flexible flange helps easy fixation.
- 15 mm connector can be rotated in 360-degree direction & facilitates the safe connection to breathing system from any direction.
- Radio opaque blue line for X-ray visualization.
- Soft low-pressure cuff dynamically adjusts the pressure at the point of contact during the breathing cycle. Thus minimize the risk of tracheal trauma & other complications.
- Pilot balloon with non-return valve facilitates the cuff inflation & deflation.
- Supplied with cotton neck tape.
- Sterile, individually Blister packed.

URI COLLECTO

Closed-Ended Wearable Urine
Collection Bag, Sterile

Urology

A **Urine Collection** device allows an individual to empty their bladder into a container hygienically and without spilling urine.

Size	Product Code
Paediatric	03010101
Adult	03010102



Features

- Super smooth kink resistance tube provided with universal tapered connector.
- Specially designed hook or hanger facilities for carrying, handling and holding the tube in upright position.
- Efficient non-return valve prevents the back flow.
- Bag graduated in ml to indicate the quantity of urine collected.
- Transparent sheeting allows visual inspection.

URI COLLECTO MV

Urine Collection Bags with Measured Volume Meter

Urine collection bag graduated in ml with measured volume meter for accurate measurement of urine

Size	Product Code
Paediatric	03010201
Adult	03010202



Features

- Super smooth kink resistance tube provided with universal tapered connector.
- Specially designed hook or hanger facilities for carrying, handling and holding the tube in upright position.
- Designed for accurate measurement of hourly urine output during examination of the patient.
- Urine bag attached directly with measured volume meter ensures auto over flow and convenience to empty the measured volume meter in the bag.
- Efficient non-return valve prevents the back flow.
- Bag graduated in ml to indicate the quantity of urine collected.
- Transparent sheeting allows visual inspection.
- With "T" type bottom outlet.

OPTIONS AVAILABLE


- With or without pinch clamp.
- Chamber size : 250 ml , 500 ml.
- Tube Length :- 100 cm, 120 cm, 150 cm.
- Bag size :- 2000 ml.
- With or without sampling port.

P-DRAIN BALLOON CATH

Foley Catheter

Urology

Foley balloon is a flexible tube that a clinician passes through the urethra and into the bladder to drain urine



FG	Two way Foley balloon catheter (Latex)	Three way Foley balloon catheter (Latex)	Two way Foley balloon catheter (Silicon)	Three way Foley balloon catheter (Silicon)
06	03020106	03020206	03020306	03020406
08	03020108	03020208	03020308	03020408
10	03020110	03020210	03020310	03020410
12	03020112	03020212	03020312	03020412
14	03020114	03020214	03020314	03020414
16	03020116	03020216	03020316	03020416
18	03020118	03020218	03020318	03020418
20	03020120	03020220	03020320	03020420
22	03020122	03020222	03020322	03020422
24	03020124	03020224	03020324	03020424
26	03020126	03020226	03020326	03020426


Features

- Non-toxic, bio-compatible and extra smooth for maximum patient comfort.
- Symmetrical balloon, rounded sealed tip and hard non-return.
- X-ray opaque line allows for confirmation of intubated tube using X-ray.
- Soft and uniformly inflated balloon makes the tube sit well against the bladder.
- Smooth round shaft can minimize trauma during insertion and withdrawal.
- Comes as 2-way or 3-way design. 3-way design helps in irrigation of bladder and sometimes for therapeutic instillation.
- Colour coded for easy identification.

URIPASS CATH

Urine Drainage Catheters

They are intended to be inserted intermittently through the urethra and up to the bladder enabling urine to drain. They are designed for short-term, intermittent transient use only.



Soft Tip

Features

- Super smooth kink resistance tube provided with universal tapered connector.
- Specially designed hook or hanger facilities for carrying, handling and holding the tube in upright position.
- Efficient non-return valve prevents the back flow.
- Bag graduated in ml to indicate the quantity of urine collected.
- Transparent sheeting allows visual inspection.

FG	Product Code
06	03020606
08	03020806
10	03021006
12	03021206
14	03021406
16	03021606
18	03021806
20	03022006
22	03022206
24	03022406

T-URETHSET

Tur Set

TUR Set is used for endoscopic irrigation during the Trans Urethral Resection of the prostate gland.



Features

- Manufactured from clinical-grade non-toxic, transparent medical PVC sheet.
- Y shaped connector facilitates alternative changes solution.
- Thumb operated clamps smooth change of bottle.
- Proximal end fitted with flexible latex tubing for easy connection to the endoscope.
- ETO Sterile, individually packed.

NELATON CATHETER

Nelaton Catheter

Urology



FG	Product Code (20cm)	Product Code (40 cm)
06	03020506	03020606
08	03020508	03020608
10	03020510	03020610
12	03020512	03020612
14	03020514	03020614
16	03020516	03020616
18	03020518	03020618
20	03020520	03020620
22	03020522	03020622
24	03020524	03020624

Features

- Nelaton catheters are used for short term bladder catheterization.
- Manufactured from non-toxic, non-irritant medical grade PVC compatible with catheter lubricants.
- Frozen surface tubing for super smooth intubation.
- The presence of radio opaque line throughout the catheter tube.
- The distal end is coned for non-traumatic introduction with two lateral eyes for efficient drainage.
- The proximal end is fitted with universal funnel shaped connector for extension.
- Funnel shape connectors are color coded for instant identification of sizes.
- Straight packed in peelable soft blister pack.
- Sterile, ready for use.


RYLE'S TUBE

Ryle's Tube

Ryle's tube is a narrow-bore tube passed into the stomach via the nose. It is used for short- or medium-term nutritional support, and also for aspiration of stomach contents - eg, for decompression of intestinal obstruction.

Features

- Smooth close distal end with two lateral eyes.
- Universal Female mount.
- High quality Bio-compatible material.
- Kink resistant PVC tubing with Radio-opaque line.
- Available length 40, 50 & 100 cm.
- DEHP free material
- Size :- 4 FG to 10 FG.



FG	Product Code
08	02020108
10	02020110
12	02020112
14	02020114
16	02020116
18	02020118

INFANT FEEDING TUBE

Infant Feeding Tube


It is used to feed a person who is unable to eat or drink. A person may need a feeding tube due to difficulty swallowing, an eating disorder, or other feeding issues.

Features

- Smooth close distal end with two lateral eyes.
- Universal Female mount.
- High quality Bio-compatible material.
- Kink resistant PVC tubing with Radio-opaque line.
- Available length 40, 50 & 100 cm.
- Size :- 4 FG to 10 FG.
- DEHP free material.



Female Mount



Size	Product code Feeding tube (40 cm)	Product code Feeding tube (50 cm)	Product code Feeding tube (100 cm)
04	02030104	02030204	02030304
06	02030106	02030206	02030306
08	02030108	02030208	02030308
10	02030110	02030210	02030310

FEEDING BAG

Feeding Bag

Gastroenterology

It is used to feed a person who is unable to eat or drink. A person may need a feeding tube due to difficulty swallowing, an eating disorder, or other feeding issues.

Features

- Specially designed 1.2 Lit. capacity bag for feeding purpose.
- An ice pouch is provided with the bag for preserving the food for longer period.
- A transfer set is directly connected to the bag for easy feeding.
- Roller controller is provided to control the flow at which food is going to the patient.
- A hanger is provided with bag for easy handling.
- Sterile, individually packed in peelable pouch.



UMBILICAL CATHETER

Umbilical Catheter

An umbilical artery catheter (UAC) allows blood to be taken from an infant at different times, without repeated needle sticks. It can also be used to continuously monitor a baby's blood pressure.



Features

- A traumatic, soft rounded open distal tip to reduce vascular trauma.
- Tube with radio-opaque line, marked at every cm from 5 to 25 cm from the open distal tip for accurate placement
- Can be used with venous or arterial routes for infusion, transfusion, administration of medication, blood sampling, pressure measurement etc.
- Available with female flexible mount and luer lock.
- Color coded funnel end connector for easy identification of size.
- Length : 40 cm, Sizes : 4, 5, 6 & 8 FG

Size/Colour	Product Code
4G Red	02040104
5G Grey	02040105
6G Green	02040106
8G Blue	02040108

STOMACH EVACULATOR

Stomach Evacuator

Gastroenterology



FG	Product Code
06	02050106
08	02050108
10	02050110
12	02050112
14	02050114
16	02050116
18	02050118
20	02050120
22	02050122

Features

- Suitable for nasogastric introduction, for nutritional purposes or aspiration of intestinal secretions.
- The distal end is coned with corrosion resistant stainless-steel balls sealed into the tube.
- Manufactured from medical grade Polymer.
- Radio opaque line is provided throughout the length.
- Marked at 50, 60, 70 cm: Sterile, individually packed.

LEVINE TUBE

Levine Tube



FG	Product Code
06	02060106
08	02060108
10	02060110
12	02060112
14	02060114
16	02060116
18	02060118
20	02060120
22	02060122

Features

- Material: non-toxic medical PVC.
- Smooth and transparent tube (or frosted tube).
- Rounded opened distal end.
- Marked at intervals from tip for accurate placement.
- Radio opaque line throughout the length for X-ray

CLOSED WOUND DRAINAGE SYSTEM

Closed Wound Drainage System

Surgery and Wound Drainage

It is used to reduce postoperative edema and hematoma formation, decrease the possibility of infection, and minimize the chance of external contamination of the surgical site.

Features

- Sizes for accessories: 8, 10, 12, 14, 16 & 18 FG
- Bellow unit with connector
- Connecting tube with clamp and "Y" connector
- Curved trocar with catheter
- Spare perforated Redon drain catheter.
- Bellow size :- 600 ml & 800 ml

Size (FG)	Product code Closed Wound Suction Units (600 cm)	Product code Closed Wound Suction Units (800 cm)
08	06010108	06010208
10	06010110	06010210
12	06010112	06010212
14	06010114	06010214
16	06010116	06010216
18	06010118	06010218



SUCTION TIP AND CATHETER

Suction Tip and Catheter

Suction Tip and Catheter is a suction set used for the removal of blood and fluids during surgery



Standard Tip



Features

- Tube length is 250 cm.
- Soft, flexible & kink resistant tube
- Ribs on the outer surface for better grasping.
- Siliconized sleeve on the handle for smooth operation.
- Suitable for intra-surgical removal of secretion and body fluids.
- Thumb control Yankauer handle available in standard or crown tip.


Type	Product Code
Plain Tip	06020101
Crown Tip	06020102

THORACIC DRAINAGE CATHETER

Trocars

Surgery and Wound Drainage

It is used to remove air in the case of pneumothorax or fluid such as in the case of pleural effusion, blood, chyle, or pus when empyema occurs from the intrathoracic space



Features

- Super Smooth Kink Resistance tubing ensures uniform flowrate.
- Catheter Without Trocar:- Atraumatic, Soft Rounded, Open Distal end with six lateral eyes for non-traumatic insertion.
- Catheter with Trocar:- Atraumatic, soft rounded, open distal end with two lateral eyes for non-traumatic insertion.
- Cross side eyes to prevent tissue aspiration.
- Proximal end is fitted with tapered connector for easy connection to drainage bottle.
- X-ray opaque line provided throughout the length of catheter.
- Marking on catheter is provided at from the distal end to help ascertain placement.
- Available with DEHP free material.

Size	Thoracic Drainage Catheter Straight Product Code	Thoracic Drainage Catheter Angled Product Code	Thoracic Drainage Catheter Trocar Product Code
08	06030108	06030208	06030308
10	06030110	06030210	06030310
12	06030112	06030212	06030312
14	06030114	06030214	06030314
16	06030116	06030216	06030316
18	06030118	06030218	06030318
20	06030120	06030220	06030320
22	06030122	06030222	06030322
24	06030124	06030224	06030324
26	06030126	06030226	06030326
28	06030128	06030228	06030328
30	06030130	06030230	06030330
32	06030132	06030232	06030332
34	06030134	06030234	06030334
36	06030136	06030236	06030336
38	06030138	06030238	06030338
40	06030140	06030240	06030340

SB CANN FIX

Cannula Fixator

Others

Cannula Fixator with extra strap for additional reinforcement around the cannula. It also prevents accidental movement of the catheter and prevent infection.

Features

- Used for fixation of I.V. Cannula / Catheter.
- Made of thin Polyurethane film prevent contaminating the infusion site.
- Breathable and water proof, with reinforced notches that reduce mechanical stress from heavy catheters.
- Thin film ensures easy fixation of devices with contoured surfaces.
- Available in two variants - Transparent and Non-woven.
- Sterile / Disposable / Individually packed



Type	Product Code
STANDARD	07010101

UC CLAMP

Umbilical Cord Clamp

It is used for binding of the umbilical cord by nipper to interrupt blood flow from placenta to foetus.



Features

- Designed finger grip provision for easy to use.
- High quality Bio-compatible material.
- Serration along the length prevent slipping of the umbilical cord.
- Manufactured from non toxic medical grade polymer.
- Easy Re-open facilities.

Type	Product Code
STANDARD	07020101

PRESSURE MONITORING KIT

Pressure Monitoring Kit



TYPE	SINGLE	DOUBLE	TRIPLE
Product Code	08060101	08060102	08060103


Features

- Pressure Monitoring Kits are a combination of medical grade PVC Tubing, Drip Chambers, Transducers, Flush device & Stop cocks, sampling devices, connectors, roller clamps & caps assembled as a functional unit to monitor the invasive blood pressure.
- This functional unit is sterilized by Ethylene Oxide, as a “single unit sterile pack”.
- The Sensor is a hydraulic communication with the blood stream to detect the patient’s pulse. The flush device allows continuous flow of 3 ml/hr. When addressed when operated it allows high flow, that is required for flushing blood remains from the monitoring line. The stopcock is used for Zeroing the pressure monitor before operation. It also assists in Blood samplings procedure.
- Pressure transducers are placed on the base plate which is usually mounted on IV stand. Transducers should be positioned at the level of the patient’s heart to get accurate reading.
- The whole apparatus is primed with saline solution & then connected to the site of monitoring (Radial Artery in the wrist via a catheter or cannula).
- Saline is connected into the pressure bag & inflated up to 300 mm hg to prevent backflow of blood from monitoring site.

FISTULA NEEDLE

Fistula Needle

Others



Features

- Back eye for uninterrupted blood flow through the needle.
- Ratable wings for firm grip, easy turning, and secure fixation.
- Smooth Geometry for laminar blood flow.
- Modified hub design with black mark for positioning the bevel accurately.
- Kink resistant tubing with smooth occlusion clamp.
- Color coded wings for identification for needles size.
- Option for single/Twin Fistula needles.
- Disposable, sterile, non-pyrogenic.

Gauge	Product Code
15	08040115
16	08040116
17	08040117

HYPODERMIC NEEDLE

Hypodermic Needle



Features

- A proprietary grinding process results in an exceptionally sharp lancet point able to penetrate tissue smoothly and with minimal trauma.
- Hub is color-coded for accurate, quick identification in or out of the package.
- Hub translucency confirms flashback.
- Paper-to-plastic packaging is convenient and environmentally friendly.
- Available in gauges 18-27 and 30, sizes 1/2" – 1 1/2"

Gauge	Product Code
18	08050118
19	08050119
20	08050120
21	08050121
22	08050122
23	08050123
25	08050125
27	08050127
30	08050130

UMBILICAL ARTERY CATHETER

Umbilical Artery Catheter

Others



FR	Product Code
3.5	08030135
4.0	08030140
5.0	08030150
6.0	08030160
8.0	08030180

Features

- Designed for intermittent or continuous access to the umbilical vessels of newborn or pre-mature infants.
- Suitable for monitoring blood pressure, withdrawal of blood for sampling without repeated needle pricks, intra venous infusion and exchange transfusion etc.
- Smooth round tip helps easy cannulation and silk finish surface further facilitates the passage of catheter in the vein / artery.
- Open distal end without lateral eyes, eliminates the chance of clot formation in the blind spaces.
- Radio opaque line is provided for X-ray visualization.
- Clear scale markings at every cm helps to ascertain depth of insertion.
- Proximal end is fitted with female luer mount for convenient connection to I.V therapy equipment.
- Individually packed in peelable Pack.
- Sterile, ready for use.

“

SBRG Med Tech
embracing the goal by
adding smiles to your life.

”





MEDICAL TECHNOLOGY- PRODUCT CATALOGUE

Plot No.-352, Pace City-2, Sector 37, Gurugram - 122001, Haryana, INDIA
Email: info@sbrgmedtech.in | regulatory@sbrgmedtech.in

FARIDABAD OFFICE : 13, NIT, Industrial Area, Faridabad-121001, Haryana, India
CORPORATE OFFICE : Plot No 30 Sector 33 Near Hero Honda Factory Gurgaon- 122001 (Haryana) India
DELHI HEAD OFFICE : A-36, First Floor, Guru Nanak Pura, Laxmi Nagar, East Delhi, Shahdara, Delhi-110092